

PRODUCT DETAILS



936000

Accumulator

EVERCO HD

POP: F

Per Car: 1

CHECK YOUR FIT

+ Add to Saved List

Part Specifications

Description: Accumulators

Inlet Type: P-Nut Fitting

Outlet Type: Female Springlock

Warranty: 120 days

Length MM: 203.2

Dia. MM: 76.2

Outlet Fraction: 3/4

Length IN: 8.000
Mounting Hardware?: Not Included
Outlet IN: 0.750
Dia. IN: 3.000
Meets / Exceeds OEM?: Yes
Inlet Fraction: 3/4
Material: Aluminum
Bracket?: w/ Bracket
Service Port?: w/ Service Port
Style: Complete Unit
Switch Port?: w/o Switch Port
Type: Accumulator

Features & Benefits

Our products are engineered and tested to provide years of trouble free operation. Backed by over 50 years of mobile a/c experience, fix it once and fix it right with Everco Heavy Duty.

- As a manufacturer in accumulator/filter driers, we offer quality units produced in a ISO/TS16949 & ISO14001 certified facility. State-of-the-art equipment and high quality materials ensure product integrity for long lasting performance customers rely on.
- Our accumulator / filter driers feature quality welds for a durable, leak-free design in addition to high-quality desiccant for appropriate absorption. For easy installation, necessary gaskets, o-rings and seal are included as well.
- The accumulator / filter drier acts as a filter by removing moisture and contaminants from the air conditioning system. Such contaminants cannot be removed by flushing, therefore replacing the accumulator / filter drier is essential.
- The absorption of moisture in the system is done through the use of a desiccant bag. A leaking or "open" system can cause the bag to become saturated within a few hours making the accumulator/filter drier ineffective.

- Replacement of the accumulator / filter drier is required to validate compressor warranty and must be replaced anytime the system is serviced.
-

Part Type (Category)

Accumulators

For Catalog assistance: **1-866-502-0068**

[Back to Top](#)
