

PRODUCT DETAILS



967140

Compressor New /Seltec TM

EVERCOHD

POP: A

Per Car: 1

CHECK YOUR FIT

+ Add to Saved List

Installation Instructions

Compressor Installation/Warranty Procedures

(<http://eaccess.smpcorp.com/eCatalogs/Downloads/FS/86953142.pdf>)

Part Specifications

Clutch Included: Included

Mount Distance A "IN": 0.95

Pulley Dia. "IN": 5.250

Pulley Dia. "MM": 133.35

Warranty: 1 year/100,000 miles

Mount Distance B "IN": 1.55

O-Ring "A" Number/Desc: 900208 / Green O-Ring
O-Ring "A" Quantity: 1
O-Ring "B" Number/Desc: 900210 / Green O-Ring
O-Ring "B" Quantity: 1
Suction Port Type: O-Ring
Switch Type: N/A
Suction Port Type Note: #8 and #10
Attention Note: May Require Use of O.E. Manifold
Belt Type: Serpentine
Belt Width "IN": 0.500
Coil Clock: 1 Wire Lead
Coil Voltage: 12
Connector Type: Bullet
Groove: 2
Model: TM15HD
Mount Type: Ear Mount
Mounting Hardware Included?: Not Included
New or Remanufactured: New
Oil Type: PAG 46
Refrigerant Type: R134-A
Type: York-Diesel Kiki-Zexel-Seltec

Features & Benefits

Our products are engineered and tested to provide years of trouble free operation. Backed by over 50 years of mobile a/c experience, fix it once and fix it right with Everco Heavy Duty.

- New Compressors meet or exceed OE specifications
- New Compressors are validated for the equivalent of 100,000 miles

- New Compressors come pre-charged with 3 ounces of PAG oil for R134a or R1234yf applications
 - New Compressors come with direct fit connectors for ease of installation and to help eliminate splicing
 - New Compressors come with the R12/R134A/1234yf required o-rings /sealing washers to install the compressor
 - New Compressors are built in a ISO9001:2015 Certified facility. These facilities go through several audits to ensure quality standards in the manufacturing process.
-

Part Type (Category)

Compressors - New

Buyers Guide

Freightliner FC70 (04)

Freightliner FL50 (04)

Freightliner FS65 (06-96)

Mercedes-Benz FS65 (06-05)

For Catalog assistance: 1-866-502-0068

[Back to Top](#)
